

Toyota PROACE CITY

Hinnad ja varustused

Proace City HINNAKIRI 01.04.2025



Varustustase	KERE	Mootor ja Kere	Käigukast	CO ₂ emissioon (g/km)	Hind
Professional	lühikese kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	145	27 550
Professional	lühikese kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	35 150
Professional	lühikese kerega kaubik, 4 ust	1.2 Turbo M/T (Esirattavedu) (81 kW)	Manuaal	147	23 200
Professional	lühikese kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	137	24 800
Professional	pika kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	143	26 150
Professional	pika kerega kaubik, 4 ust	1.2 Turbo M/T (Esirattavedu) (81 kW)	Manuaal	153	24 550
Professional	pika kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	35 800
Professional	pika kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	28 600
Professional Plus	lühikese kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	36 550
Professional Plus	lühikese kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	137	26 700
Professional Plus	lühikese kerega kaubik, 4 ust	1.2 Turbo M/T (Esirattavedu) (81 kW)	Manuaal	147	25 100
Professional Plus	lühikese kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	145	29 150
Professional Plus	pika kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	143	27 750
Professional Plus	pika kerega kaubik, 4 ust	1.2 Turbo M/T (Esirattavedu) (81 kW)	Manuaal	153	26 150
Professional Plus	pika kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	37 250
Professional Plus	pika kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	150	30 200
Professional Plus	pika kerega kaubik, 5 ust	1.2 Turbo M/T (Esirattavedu) (81 kW)	Manuaal	153	26 500
Professional Plus	pika kerega kaubik, 5 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	30 500

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Animi doloremque amet eum ipsum, nam placeat accusamus cumque dignissimos necessitatibus pariatur distinctio enim vel facere qui, exercitationem dolore quas voluptas dolorem ab atque minima fugit iste. Est ducimus voluptatibus omnis maxime expedita fuga et reprehenderit sapiente? Sit magni fuga, praesentium tenetur obcaecati iste id sapiente reiciendis ab modi! Dolore, at sunt, odio repudiandae harum saepe debitis labore voluptate quidem dicta nemo temporibus eius repellendus architecto earum quae maxime tenetur aut delectus ea cupiditate totam? In ab atque ducimus quaerat commodi earum quasi

Toyota PROACE CITY

Hinnad ja varustused

Proace City HINNAKIRI 01.04.2025



Varustustase	KERE	Mootor ja Kere	Käigukast	CO ₂ emissioon (g/km)	Hind
Professional Plus	pika kerega kaubik, 5 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	37 500
Professional Plus	pika kerega kaubik, 5 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	143	28 050
Professional Plus Nord	lühikese kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	137	28 400
Professional Plus Nord	lühikese kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	145	30 850
Professional Plus Nord	lühikese kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	38 600
Professional Plus Nord	pika kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	31 900
Professional Plus Nord	pika kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	39 250
Professional Plus Nord	pika kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	143	29 450
Professional Plus Nord	pika kerega kaubik, 5 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	39 550
Professional Plus Nord	pika kerega kaubik, 5 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	144	29 750
Professional Plus Nord	pika kerega kaubik, 5 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	32 200
Professional Comfort	lühikese kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	145	33 150
Professional Comfort	lühikese kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	138	30 700
Professional Comfort	lühikese kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	40 350
Professional Comfort	pika kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	34 200
Professional Comfort	pika kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	41 000
Professional Comfort	pika kerega kaubik, 5 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	152	34 500
Professional Comfort	pika kerega kaubik, 5 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	41 300

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Animi doloremque amet eum ipsum, nam placeat accusamus cumque dignissimos necessitatibus pariatur distinctio enim vel facere qui, exercitationem dolore quas voluptas dolorem ab atque minima fugit iste. Est ducimus voluptatibus omnis maxime expedita fuga et reprehenderit sapiente? Sit magni fuga, praesentium tenetur obcaecati iste id sapiente reiciendis ab modi! Dolore, at sunt, odio repudiandae harum saepe debitis labore voluptate quidem dicta nemo temporibus eius repellendus architecto earum quae maxime tenetur aut delectus ea cupiditate totam? In ab atque ducimus quaerat commodi earum quasi

Toyota PROACE CITY

Hinnad ja varustused

Proace City HINNAKIRI 01.04.2025




Varustustase	KERE	Mootor ja Kere	Käigukast	CO ₂ emissioon (g/km)	Hind
Professional Comfort Plus	lühikese kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	42 050
Professional Comfort Plus	lühikese kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	145	35 150
Professional Comfort Plus	lühikese kerega kaubik, 4 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	138	32 350
Professional Comfort Plus	pika kerega kaubik, 4 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	151	36 200
Professional Comfort Plus	pika kerega kaubik, 4 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	42 750
Professional Comfort Plus	pika kerega kaubik, 5 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	152	36 500
Professional Comfort Plus	pika kerega kaubik, 5 ust	0 Electric 50kWh EV (Esirattavedu) (100 kW)	Automaat	0	43 000
Professional Crew	pika kerega meeskonnabuss, 5 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	146	28 500
Professional Crew Plus	pika kerega meeskonnabuss, 5 ust	1.5 D-4D A/T (Esirattavedu) (96 kW)	Automaat	155	32 200
Professional Crew Plus	pika kerega meeskonnabuss, 5 ust	1.5 D-4D M/T (Esirattavedu) (96 kW)	Manuaal	154	30 950
Professional Crew Plus	pika kerega meeskonnabuss, 5 ust	1.5 D-4D M/T (Esirattavedu) (75 kW)	Manuaal	146	29 750

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Animi doloremque amet eum ipsum, nam placeat accusamus cumque dignissimos necessitatibus pariatur distinctio enim vel facere qui, exercitationem dolore quas voluptas dolorem ab atque minima fugit iste. Est ducimus voluptatibus omnis maxime expedita fuga et reprehenderit sapiente? Sit magni fuga, praesentium tenetur obcaecati iste id sapiente reiciendis ab modi! Dolore, at sunt, odio repudiandae harum saepe debitis labore voluptate quidem dicta nemo temporibus eius repellendus architecto earum quae maxime tenetur aut delectus ea cupiditate totam? In ab atque ducimus quaerat commodi earum quasi

Toyota PROACE CITY


Tehnilised andmed



MOOTOR JA KÄIGUKAST	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)
Tippkiirus (km/h)	173	166	184	132	173	166	184	132
MÕÕTMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)
Laius (mm)	1848	1848	1848	1848	1848	1848	1848	1848
Teljevahe (mm)	2785	2785	2785	2785	2975	2975	2975	2975
Istmete arv	2	2	2	2	2	2	2	2
Pikkus (mm)	4403	4401	4401	4401	4753	4751	4751	4751
Kõrgus (mm)	1880	1860	1860	1860	1880	1860	1860	1860
Uste arv	4	4	4	4	4	4	4	4
KESKKONNAANDMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)
Kütusekulu – kombineeritud min. WLTP (l/100 km)	6.5	5.2	5.5	0	6.8	5.4	5.7	0
CO ₂ , kombineeritud	147	137	145	0	153	143	150	0
Müratase sõidu ajal (dB(A))	69.0	68.0	69.0	66.0	69.0	68.0	69.0	66.0
Kütusepaagi maht (l)	53	53	53	-	53	53	53	-
Müratase seistes (dB(A))	76.0	74.0	74.0	-	76.0	74.0	74.0	-
Kütusekulu – kombineeritud WLTP (kg/100 km)	6.5	5.2	5.5	0	6.8	5.4	5.7	0

Toyota PROACE CITY

Tehnilised andmed



KESKKONNAANDMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Kütusekulu maks. – kombineeritud WLTP (kg/100 km)	7.7	6.1	6.5	0	7.7	6.1	6.5	0
Sõiduulatus ainult elektri jõul – kombineeritud maks. WLTP (km)	-	-	-	335	-	-	-	331
Sõiduulatus ainult elektri jõul – kombineeritud min. WLTP (km)	-	-	-	289	-	-	-	289
Elektritarve min. (kWh/100 km)	-	-	-	18.5	-	-	-	18.8
Elektritarve maks. (kWh/100 km)	-	-	-	21.7	-	-	-	21.7
MOOTOR	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Silindrite arv	Reas 3	Reas 4	Reas 4	-	Reas 3	Reas 4	Reas 4	-
Kütuse sissepritse süsteem	Sissepritse	Kütuse kõrgrõhu- otsepritsega turbodiisel	Kütuse kõrgrõhu- otsepritsega turbodiisel	-	Sissepritse	Kütuse kõrgrõhu- otsepritsega turbodiisel	Kütuse kõrgrõhu- otsepritsega turbodiisel	-
Töömaht (cm ³)	1199	1499	1499	-	1199	1499	1499	-
Suurim pöördemoment (N·m/p/min)	205/1750-	250/1750-	300/1750-	-	205/1750-	250/1750-	300/1750-	-
Sisepõlemismootori suurim võimsus (DIN hj)	110	100	130	136	110	100	130	136
Sisepõlemismootori suurim võimsus (kW/p/min)	81/5500	75/3750	96/3750	100/	81/5500	75/3750	96/3750	100/

Toyota PROACE CITY


Tehnilised andmed



MOOTOR	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)
Hübriidsõiduki aku: mahutavus A·h (tundi)	-	147	147	147	-	147	147	147
Elektrimootor, ees: suurim võimsus (kW)	-	100	100	100	-	100	100	100
Elektrimootor, ees: suurim pöördemoment (N·m)	-	270	270	270	-	270	270	270
Elektrimootor, ees: suurim ping (V)	-	418	418	418	-	418	418	418
Hübriidsõiduki aku: tüüp	-	-	-	Lfp/gr	-	-	-	Lfp/gr
Elektrimootor, ees: tüüp	-	-	-	ZAE sünkroonmootor püsomagnetiga / 4 paari	-	-	-	ZAE sünkroonmootor püsomagnetiga / 4 paari
Aku mahtuvus (A·h)	-	147	147	147	-	147	147	147
Aku mahutavus (kWh)	-	50.57	50.57	50.57	-	50.57	50.57	50.57
Suurim vahelduvvoolu- laadimisvõimsus AC (kW)	-	-	-	11	-	-	-	11
Alalisvooluga laadimise aeg 10- 80% (min)	-	-	-	30	-	-	-	30
Suurim võimsus (DIN hj)	110	100	130	136	110	100	130	136
Suurim võimsus (kW/p/min)	81	75	96	100	81	75	96	100
Aku mahutavus (bruto, kWh)	-	-	-	50	-	-	-	50
Aku mahutavus (neto, kWh)	-	-	-	50	-	-	-	50

Toyota PROACE CITY


Tehnilised andmed



JÕUÜLEKANNE	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Ülekande tüüp	Manuaalne	Manuaalne	Automaatne	Automaatne	Manuaalne	Manuaalne	Automaatne	Automaatne
Veoskeem	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)
VEDRUSTUS	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Esivedrustus	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson	Pseudo-McPherson
Tagavedrustus	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala
PIDURID	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Pidurid, ees	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid
Pidurid, taga	Ketas	Ketas	Ketas	Ketas	Ketas	Ketas	Ketas	Ketas

Toyota PROACE CITY

Tehnilised andmed



REHVID JA VELJED	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Madalaim kütusesäästlikkuse klass	A	A	A	A	A	A	A	A
Madalaim märghaardumise klass	B	B	B	B	B	B	B	B
Madalaim veeremismüra tase (dB)	69	69	72	71	72	72	72	71
MASSID	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Täismass, kokku (kg)	1940	2020	2040	2450	2290	2380	2400	2450
Tühimass (kg)	1329-1504	1371-1551	1395-1577	1674-1843	1380-1533	1441-1598	1447-1604	1741-1893
Piduritega järelhaagise suurim lubatud mass (kg)	1200	1350	1350	750	850	1050	1000	750
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	690	710	720	750	710	750	750	-
KANDEVÕIME	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)
Kaubaruumi maht (m³)	3.3	3.3	3.3	3.3	3.9	3.9	3.9	3.9

Toyota PROACE CITY


Tehnilised andmed



MOOTOR JA KÄIGUKAST	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 kW)
Tippkiirus (km/h)	173	166	184	132	166	184	181
MÕÕTMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 kW)
Laius (mm)	1848	1848	1848	1848	1848	1848	1848
Teljevahe (mm)	2975	2975	2975	2975	2975	2975	2975
Istmete arv	3	3	3	3	5	5	5
Pikkus (mm)	4753	4751	4751	4751	4753	4753	4753
Kõrgus (mm)	1880	1860	1860	1860	1880	1880	1880
Uste arv	4	4	4	4	4	4	4
KESKKONNAANDMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 kW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 kW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 kW)
Kütusekulu – kombineeritud min. WLTP (l/100 km)	6.8	5.5	5.8	0	5.6	5.9	5.9
CO ₂ , kombineeritud	153	143	151	0	146	155	154
Müratase sõidu ajal (dB(A))	69.0	68.0	69.0	66.0	68.0	69.0	68.0
Kütusepaagi maht (l)	53	53	53	-	53	53	53
Müratase seistes (dB(A))	76.0	74.0	74.0	-	74.0	74.0	74.0
Kütusekulu – kombineeritud WLTP (kg/100 km)	6.8	5.5	5.8	0	5.6	5.9	5.9
Kütusekulu maks. – kombineeritud WLTP (kg/100 km)	7.7	6.1	6.5	0	6.1	6.5	6.5

Toyota PROACE CITY

Tehnilised andmed



KESKKONNAANDMED	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Sõiduulatus ainult elektri jõul – kombineeritud maks. WLTP (km)	-	-	-	329	-	-	-
Sõiduulatus ainult elektri jõul – kombineeritud min. WLTP (km)	-	-	-	289	-	-	-
Elektritarve min. (kWh/100 km)	-	-	-	19	-	-	-
Elektritarve maks. (kWh/100 km)	-	-	-	21.7	-	-	-
MOOTOR	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Silindrite arv	Reas 3	Reas 4	Reas 4	-	Reas 4	Reas 4	Reas 4
Kütuse sissepritse süsteem	Sissepritse	Kütuse kõrgrõhu-otsepritsega turbodiisel	Kütuse kõrgrõhu-otsepritsega turbodiisel	-	Kütuse kõrgrõhu-otsepritsega turbodiisel	Kütuse kõrgrõhu-otsepritsega turbodiisel	Kütuse kõrgrõhu-otsepritsega turbodiisel
Töömaht (cm ³)	1199	1499	1499	-	1499	1499	1499
Suurim pöördemoment (N·m/p/min)	205/1750-	250/1750-	300/1750-	-	250/1750-	300/1750-	300/1750-
Sisepõlemismootori suurim võimsus (DIN hj)	110	100	130	136	100	130	130
Sisepõlemismootori suurim võimsus (kW/p/min)	81/5500	75/3750	96/3750	100/	75/3750	96/3750	96/3750
Hübriidsõiduki aku: mahutavus A·h (tundi)	-	147	147	147	-	-	-
Elektrimootor, ees: suurim võimsus (kW)	-	100	100	100	-	-	-
Elektrimootor, ees: suurim pöördemoment (N·m)	-	270	270	270	-	-	-
Elektrimootor, ees: suurim pinge (v)	-	418	418	418	-	-	-
Hübriidsõiduki aku: tüüp	-	-	-	Lfp/gr	-	-	-

Toyota PROACE CITY


Tehnilised andmed



MOOTOR	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Elektrimootor, ees: tüüp	-	-	-	ZAE sünkroonmootor püsimagnetiga / 4 paari	-	-	-
Aku mahtuvus (A·h)	-	147	147	147	-	-	-
Aku mahutavus (kWh)	-	50.57	50.57	50.57	-	-	-
Suurim vahelduvvoolu-laadimisvõimsus AC (kW)	-	-	-	11	-	-	-
Alalisvooluga laadimise aeg 10–80% (min)	-	-	-	30	-	-	-
Suurim võimsus (DIN hj)	110	100	130	136	100	130	130
Suurim võimsus (kW/p/min)	81	75	96	100	75	96	96
Aku mahutavus (bruto, kWh)	-	-	-	50	-	-	-
Aku mahutavus (neto, kWh)	-	-	-	50	-	-	-
JÕUÜLEKANNE	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Ülekande tüüp	Manuaalne	Manuaalne	Automaatne	Automaatne	Manuaalne	Automaatne	Manuaalne
Veoskeem	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)	Esiveoline (FWD)
VEDRUSTUS	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Esivedrustus	Pseudo- McPherson	Pseudo- McPherson	Pseudo- McPherson	Pseudo- McPherson	Pseudo- McPherson	Pseudo- McPherson	Pseudo- McPherson

Toyota PROACE CITY


Tehnilised andmed



VEDRUSTUS	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Tagavedrustus	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala	Deformeeritav risttala
PIDURID	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Pidurid, ees	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid	Ventileeritud ketaspidurid
Pidurid, taga	Ketas	Ketas	Ketas	Ketas	Ketas	Ketas	Ketas
REHVID JA VELJED	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Madalaim kütusesäästlikkuse klass	A	A	A	A	A	A	A
Madalaim märghaardumise klass	B	B	B	B	B	B	B
Madalaim veeremismüra tase (dB)	72	72	72	71	72	72	72
MASSID	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Täismass, kokku (kg)	2290	2400	2400	2450	2400	2400	2400
Tühimass (kg)	1400-1553	1464-1479	1473-1500	1759-1759	1560-1670	1580-1690	1560-1670
Piduritega järelhaagise suurim lubatud mass (kg)	850	1030	1000	750	1030	1000	1030
Ilma piduriteta järelhaagise suurim lubatud mass (kg)	720	750	750	750	750	750	750

Toyota PROACE CITY

Tehnilised andmed



KANDEVÕIME	1.2 TURBO M/T (ESIRATTAVEDU) (81 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	0 ELECTRIC 50KWH EV (ESIRATTAVEDU) (100 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (75 KW)	1.5 D-4D A/T (ESIRATTAVEDU) (96 KW)	1.5 D-4D M/T (ESIRATTAVEDU) (96 KW)
Kaubaruumi maht (m ³)	3.9	3.9	3.9	3.9	3.9	3.9	3.9

Toyota PROACE CITY

Varustustasemed



TEHASE LISAVARUSTUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Smart Cargo pakett	SP	400 €	-	-	-	-	-	-
Plywood cargo area wall covers	R5	390 €	390 €	390 €	390 €	390 €	390 €	390 €
Plywood cargo area wall covers	Q5	330 €	330 €	330 €	330 €	330 €	330 €	330 €
SALONG	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Tumehallist kangast istmed (FYCM)	CMFY	●	●	●	●	●	●	●
VÄLISKUJUNDUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
EcoLED-esituled	186624	●	●	●	●	●	●	●
Tagumised tiibuksed	186625	●	●	●	●	●	-	-
Must eesmine ja tagumine pörkeraud	186627	●	●	●	-	-	●	●
Elektrilised soojendusega küljepeeglid	186629	●	●	●	●	●	●	●
Ilukilbid	186622	-	●	●	●	-	-	-
Elektriliselt klapitavad küljepeeglid	186630	-	●	●	●	●	-	●
Eesmised udutuled	186631	-	●	●	●	●	-	●
Kerevärvi eesmine ja tagumine pörkeraud	186628	-	-	-	●	●	-	-
Rehviparanduskomplekt	186623	-	-	-	-	-	●	●
Klaasakendega tagumised tiibuksed	186626	-	-	-	-	-	●	●
16-tollised terasveljed (205/60 R16)	186618	-	-	-	-	-	●	●
15-tollised terasveljed (195/65 R15) (Ainult lühikese kere ja manuaalkäigukastiga versioonil)	186617	●	-	-	-	-	-	-
16-tollised terasveljed (205/60 R16) (Ainult pika kerega või lühikese kere ja automaatkäigukastiga versioonil)	186618	●	●	●	●	-	-	-

Toyota PROACE CITY


Varustustasemed



VÄLISKUJUNDUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
16-tollised terasveljed (215/65 R16) (Ainult elektriautol)	186619	●	●	●	●	-	-	-
16-tollised valuveljed (215/65 R16) (Ainult elektriautol)	186621	-	-	-	-	●	-	-
16-tollised valuveljed (205/60 R16) (Ainult diisel- või bensiinimootoriga)	186620	-	-	-	-	●	-	-
SALONG	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Kummist põrandakate salongis	186636	●	●	●	●	●	●	●
Kummist põrandamatid	186637	●	●	●	●	●	●	●
Kaubaruumi puitpõrand	186639	●	●	●	●	●	-	-
Eesmised elektriaknad	186640	●	-	-	-	-	●	-
Vahesein esimese istmerea taga	186643	●	-	-	-	-	-	-
6 koormakinnituskonksu kaubaruumis	186646	●	●	-	-	-	●	●
Uretaankattega rool	186649	●	●	-	-	-	●	●
Smart Cargo nutikas kaubaruum	186632	-	●	●	●	●	-	-
Mobiilne kontor	186633	-	●	●	●	●	-	-
Ühepuutefunktsiooniga eesmised elektriaknad	186641	-	●	●	●	●	-	●
Aknaga vahesein esimese istmerea taga	186644	-	●	●	●	●	-	-
8 koormakinnituskonksu kaubaruumis	186647	-	-	●	●	●	-	-
Kaubaruumi LED-valgusti	186648	-	-	●	●	●	-	-
Nahkkattega rool	186650	-	-	●	●	●	-	-
Soojendusega rool	186651	-	-	●	●	●	-	-
Kokkuklapitav kõrvalistuja iste	186634	-	-	-	-	-	●	●

Toyota PROACE CITY


Varustustasemed



SALONG	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Klapplauad esiistmete seljatugedel	186635	-	-	-	-	-	●	●
Kaubaruumi plastpõrand	186638	-	-	-	-	-	●	●
Teises reas kallutatavad aknad	186642	-	-	-	-	-	●	●
Kokkuklapitav võrega vahesein	186645	-	-	-	-	-	●	●
ISTMED	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
2 istekohta	186652	●	-	-	-	-	-	-
Tekstiilistmed	186655	●	●	●	●	●	●	●
Reguleeritava kõrgusega juhiiste	186656	●	●	●	●	●	●	●
Soojendusega esiistmed	186657	●	●	●	●	●	●	●
Nimmetugi juhiistmel	186658	●	●	●	●	●	●	●
Juhiistme käetugi	186659	●	●	●	●	●	●	●
3 istekohta	186653	-	●	●	●	●	-	-
5 istekohta	186654	-	-	-	-	-	●	●
MUGAVUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Manuaalne kliimaseade	186661	●	●	●	-	-	●	-
Tagumised parkimisandurid	186664	●	●	●	●	●	●	●
Hämaraaandur	186668	●	●	●	●	●	●	●
Kiirushoidik	186672	●	●	●	●	●	●	●
Vihmaandur	186669	-	●	●	●	●	-	●
Esiklaasipuhasti jääsulataja	186667	-	-	●	●	●	-	-
230 V pistikupesa kõrvalistuja jalaruumis	186670	-	-	●	●	●	-	-
12 V pistikupesa kaubaruumis	186671	-	-	●	●	●	-	-

Toyota PROACE CITY

Varustustasemed



MUGAVUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Automaatne kliimaseade	186663	-	-	-	●	●	-	●
Eesmised parkimisandurid	186665	-	-	-	●	●	-	-
Pimeala monitor (BSM)	186666	-	-	-	●	●	-	-
Võtmeta sisenemis- ja käivitussüsteem	186660	-	-	-	-	●	-	-
Kohanduv kiirushoidik (Ainult automaatkäigukastiga või elektriautol)	186673	-	-	-	-	○	-	-
Webasto kütusel töötav eelsoojendi koos puldiga (Ainult diiselmootoriga)	186674	-	-	○	○	○	-	-
Automaatne kliimaseade (Ainult elektriautol)	186662	-	-	○	-	-	-	-
Soojuspump (Ainult elektriautol)	186675	-	-	○	○	○	-	-
MULTIMEEDIA- JA TEABESÜSTEEMID	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
5-tollise puutetundliku ekraaniga raadio	186676	●	-	-	-	-	●	-
4 kõlarit	186681	●	●	●	●	●	●	●
Bluetooth	186682	●	●	●	●	●	●	●
USB-pesa	186683	●	●	●	●	●	●	●
10-tollise ekraaniga multimeediasüsteem Pro-Touch	186677	-	●	●	-	-	-	●
Juhtmevaba mobiilseadme ühildus (Apple CarPlay & Android Auto)	186679	-	●	●	●	●	-	●
Tahavaatekaamera	186685	-	●	●	-	-	-	-
10-tollise ekraaniga multimeediasüsteem Pro-Touch HD	186678	-	-	-	●	●	-	-
10-tolline värviline TFT-universaalnäidik	186684	-	-	-	●	●	-	-

Toyota PROACE CITY

Varustustasemed



MULTIMEEDIA- JA TEABESÜSTEEMID	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Tahavaatekaamerasüsteem Smart Active Vision	186686	-	-	-	●	●	-	-
Navigatsioonisüsteem	186680	-	-	-	-	●	-	-
PANIPAIGAD	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Laes olevad hoiulaekad juhile ja kõrvalistujale	186687	●	●	●	●	●	●	●
Kaanega kindalaegas armatuurlaua juhipoolse küljel	186688	●	●	●	●	●	●	●
OHUTUS	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Nõlvaltstardiabi (HAC)	186690	●	●	●	●	●	●	●
Elektrooniline stabiilsuskontroll (ESC)	186691	●	●	●	●	●	●	●
Rehvirõhu hoiatussüsteem (TPWS)	186692	●	●	●	●	●	●	●
Täiendava turvasüsteemi (SRS) turvapadjad – 6 turvapatja	186695	●	●	●	●	●	●	●
Laiendatud liiklusemärgide jälgimise süsteem (RSA)	186694	-	-	-	-	●	-	-
Lapselukk ustel	186696	-	-	-	-	-	●	●
Teises istmeregas ISOFIX-kinnitused kolmel istmel	186697	-	-	-	-	-	●	●
TOYOTA SAFETY SENSE:	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Kokkupõrke ennetussüsteem	186699	●	●	●	●	●	●	●
Liiklusemärgide jälgimise süsteem	186700	●	●	●	●	●	●	●
Juhi valvsuse jälgimise süsteem	186701	●	●	●	●	●	●	●
Sõidurajalt lahkumise hoiatussüsteem (LDA)	186702	●	●	●	●	●	●	●

Toyota PROACE CITY

Varustustasemed



TOYOTA SAFETY SENSE:	KOOD	PROFESSIONAL	PROFESSIONAL PLUS	PROFESSIONAL PLUS NORD	PROFESSIONAL COMFORT	PROFESSIONAL COMFORT PLUS	PROFESSIONAL CREW	PROFESSIONAL CREW PLUS
Automaatsed kaugtuled (AHB)	186703	●	●	●	●	●	●	●

● - Standardvarustus

○ - Lisavarustus

◐ - Lisavarustus (piirangutega)

P - Saadaval lisavarustuspaketis